



Corrigendum

Corrigendum to “Baseline Thrombin Generation Test Does Not Predict Thrombotic Events in Acute Leukemia: A Monocentric Prospective Study”, *Mediterr J Hematol Infect Dis* 2025; 17(1): e2025076. DOI: [10.4084/MJHID.2025.076](https://doi.org/10.4084/MJHID.2025.076)

Biglietto M.¹, Mormile R.¹, Bisegna M.L.¹, Laganà A.¹, Faccini A.¹, Papa A.¹, Baldacci E.¹, Santoro C.¹, De Propriis M.S.¹ and Chistolini A.¹

¹ Department of Translational and Precision Medicine, Sapienza University of Rome, 00185 Rome, Italy.

Competing interests: The authors declare no competing interest.

The authors regret that the following errors were included in the published article:

- In the Methods section, the citrate concentration was incorrectly reported as 10⁹ mmol/L instead of 109 mmol/L.
- In Tables 1, 2, and 4, the unit of measurement for ETP was incorrectly reported as nM/min instead of nM × min.
- In Table 1, the number of patients with increased Lag Time was incorrectly reported as 111 (90.9%) instead of 101 (90.9%).
- In the Results section, on page 5, it was incorrectly reported that one of the eight patients who experienced thrombosis had increased ETP (12.5%). In fact, two of these patients (Patients 4 and 8, Table 4) had increased ETP (25%).
- In the Results section, on page 5, the abbreviation MPAL was erroneously reported as MAPL.
- In Table 2, the upper limit of the age range was incorrectly reported as 88.7 years in the AML group and 86.1 years in the overall cohort. The correct upper limit for both is 86.4 years (as correctly stated in the Results section).
- In the Results section, on page 5, the time from diagnosis to thrombosis was incorrectly reported as 0.13 months (range 0–4.07). The correct median is 1.58 months (range 0–6.83).
- In Table 3, “Hypometilating agent” should read “Hypomethylating agent”.

These corrections do not affect the overall results, interpretation, or conclusions of the study.

The authors would like to apologise for any inconvenience caused.

Citation: Biglietto M., Mormile R., Bisegna M.L., Laganà A., Faccini A., Papa A., Baldacci E., Santoro C., De Propriis M.S., Chistolini A. Corrigendum to “Baseline thrombin generation test does not predict thrombotic events in acute leukemia: a monocentric prospective study”. *Mediterr J Hematol Infect Dis* 2026, 18(1): e2026076, DOI: <http://dx.doi.org/10.4084/MJHID.2026.076>

Published: November 01, 2026

Received: October 01, 2026

Accepted: October 22, 2026

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by-nc/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Correspondence to: Biglietto M., M.D. Hematology, Department of Translational and Precision Medicine, Sapienza University of Rome, Italy. E-mail: mario.biglietto@uniroma1.it